

Hartley Gove & Sons  
P.O Box 909  
Brookhaven, MS  
39602-0909

330 Carded Tube  
P/N 17-62A  
Material Safety Data Sheet

<b>Section 1 Identification</b>						<b>Section 6 Accidental Release Measures</b>			
Product Number:	C2135					Evacuate area. Wear self-contained breathing apparatus and protective clothing. Eliminate all sources of ignition.			
Product Name:	Mineral Spirits (Rule 66)	Health:		2		<b>Section 7 Handling and Storage</b>			
Trade/Chemical Synonyms:		Flammability:		2		Store in a cool dry well ventilated area. Keep away from heat and flame. Do not get in eyes, on skin, or on clothing.			
Formula:	N/A	Reactivity:		0		<b>Section 8 Exposure Controls &amp; Personal Protection</b>			
RTECS:	Not Available	Hazard Rating:		Least Slight Moderate High Extreme		<b>Respiratory Protection:</b> NIOSH/MSHA-approved respirator			
C.A.S	See Below	0 1 2 3 4		NA = Not Applicable NE = Not Established		Mechanical: <input checked="" type="checkbox"/> Hand Protection: Wear appropriate gloves to prevent skin exposure			
<b>Section 2 Component Mixture</b>						Ventilation: Local Exhaust: <input type="checkbox"/> Eye Protection: Splash Goggles			
Sara 313	Component	CAS Number	%	Dim	Exposure Limits:	Other Protective Equipment: Wear appropriate clothing to prevent skin exposure			
<input type="checkbox"/>	Mineral Spirits (Rule 66)		100%	V/V		<b>Section 9 Physical and Chemical Properties</b>			
<b>Section 3 Hazard Identification (Also see section 11)</b>						Melting Point: Information not available Specific Gravity: 0.772			
Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.						Boiling Point: 159°C Information not available Percent Volatile by Volume: 100			
<b>Section 4 First Aid Measures</b>						Vapor Pressure: 2.6 Evaporation Rate: information not available			
Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.						Vapor Density: 4.8 (air=1) Evaporation Standard: not available			
FIRST AID: SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention						Solubility in Water: <0.1% Auto ignition Temperature: information not available			
EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen						Appearance and Odor: clear liquid w/odor Lower Flamm. Limit in Air: 0.7%			
INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.						Flash Point: 42°C Upper Flamm. Limit in Air: 6.0%			
<b>Section 5 Fire Fighting Measures</b>						<b>Section 10 Stability and Reactivity Information</b>			
Fire Extinguisher Type:	Carbon Dioxide, dry chemical powder or appropriate foam or water spray.					Stability: yes Conditions to Avoid: all possible sources of ignition			
Fire/Explosion Hazards:	this material is COMBUSTABLE! Can be ignited by most sparks, heat and open flames.					Materials to Avoid: Strong oxidizing agents,bases,acids, and amines.			
Fire Fighting Procedure:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.					Hazardous Decomposition Products: toxic fumes of co, co2			
						Hazardous Polymerization:Will Not Occur			
						Condition to Avoid:None known			
						<b>Section 11 Additional Information</b>			
						eyes:flush eyes with large amounts of water for at least 15 min.skin:cleanse affected area with large amounts of water and a mild soap.inhal:remove person to fresh air adminster cpr if needed. In all cases seek medical attention. Conditions aggravated/target organs. Persons with pre-existing eye,skin or respiratory conditions may be more susceptible.			
						DOT Classification: Petroleum Distillates, n.o.s. (Mineral Spirits), 3, UN1268, PG III			
						DOT regulations may change from time to time. Please consult the most recent version of the relevant regulations. Revision No:0 Date Entered: 9/1/2006 Approved by: WPF			

The information contained herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty is expressed or implied regarding the completeness or accuracy of this information, whether originating from Science Stuff, Inc. or from an alternate source. Users of this material should satisfy themselves by independent investigation of current scientific and medical information that this material may be safely handled.