MATERIAL SAFETY DATA SHEET

MANUFACTURER: Tennessee Mat Company, Inc. ADDDRESS: 1414 Fourth Avenue South, Nashville, TN 37210 TELEPHONE-TECHNICAL: 1-800-264-3030 ext. 210 EMERGENCY: 1-615-254-8381

Essentially similar to U.S. Department of Labor OSHA Standards

I. PRODUCT IDENTIFICATION

TRADE NAME: RejuvenatorTM UltraSoft-Cell SYNONYMS OR CHEMICAL NAME: 501 DOT CLASSIFICATION: 65

II. HAZARDOUS INGREDIENTS

%:

MATERIAL OR COMPONENT: URETHANE CAS#: HAZARD DATA-EXPOSURE LIMITS:

III. PHYSICAL DATA

BOILING POINT °F: NA VAPOR PRESSEURE (mmHg): NA VAPOR DENSITY (AIR=1): NA SOLUBILITY IN WATER: NA APPEARANCE AND ODOR : NA SPECIFIC GRAVITY (WATER=1): .40 % VOLATILE BY VOLUME: EVAPORATION RATE (BUTYL ACETATE=1): NA MELTING POINT: Will withstand temperatures of 250 degrees F. For extended periods of timeIV. FIRE AND EXPLOSION DATA

FLASH POINT (METHOD):	
FLAMMABLE LIMITS IN AIR:	% BY VOLUME:
EXTINGUISHING MEDIA:	X WATER X FOAM X DRY CHEMICAL X CARBON DIOXIDE
	□ WATER FOG □ OTHER
	□ WATER MAY BE INEFFECTIVE
SPECIAL FIRE FIGHTING	DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER
PROCEDURES:	PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED
	SELF CONTAINED BREATHING APPARATUS.
	□ OTHER
UNUSUAL FIRE AND	X NONE KNOWN
EXPLOSION HAZARDS:	
AREAS AND	

OR EXPLOSIONS:	\Box OTHER	Passes MSVS 302.

V. HEALTH HAZARD INFORMATION

ACUTE EFFECTS OF OVEREXPOSURE (Short or single exposure)		
INHALATION:	${f X}$ NO ADVERSE EFFECTS LIKELY	
SKIN CONTACT:	${f X}$ NO ADVERSE EFFECTS LIKELY	
EYE CONTACT: \mathbf{X}	NO ADVERSE EFFECTS LIKELY	
INGESTION:	${f X}$ NO ADVERSE EFFECTS LIKELY	

CHRONIC EFFECTS OF OVEREXPOSURE (Prolonged or repeated exposure): X N.A.

VI. EMERGENCY AND FIRST AID PROCEDURES

- EYES: X N.A.
- SKIN: X N.A.
- INHALATION: X N.A.
- INGESTION: X N.A.

NOTE TO PHYSICIAN:

VII. REACTIVITY DATA

X STABLE \Box UNSTABLE CONDITIONS TO AVOID:

INCOMPATIBILITY: \Box N.A.

VII. REACTIVITY DATA CONTINUED

 HAZARDOUS
 DECOMPOSITION PRODUCTS AND AMOUNTS PRODUCED WILL COMBUSTION OR

 DEPEND ON DECOMPOSITION CONDITIONS BUT WILL MOST LIKELY DECOMPOSITION
 CONTAIN SOME:

 PRODUCTS:
 □ CARBON MONOXIDE
 □ CARBON DIOXIDE
 □ SMOKE

 □ HYDROGEN CHLORIDE
 □ HYDROGENCYANIDE
 □ ALDEHYDES
 □ ACIDS
 □ AROMATICS

 □ OTHERS
 HAZARDOUS
 X
 WILL NOT OCCUR
 X

POLYMERIZATION: CONDITIONS TO AVOID:

VIII. SPILL OR LEAK PROCEDURES

X THIS MATERIAL, IF DISCARDED, IS NOT DEFINED AS
HAZARDOUS BY 40CFR261.
DISPOSAL METHOD-INCINERATE OR LANDFILL IN
CE WITH APPLICABLE FEDERAL STATE
AND LOCAL LAW OR REGULATION.
IX. SPECIAL PROTECTION INFORMATION
X GENERAL
TIVE EQUIPMENT:
X NOT NORMALLY NECESSARY
${f X}$ NOT NORMALLY NECESSARY
${f X}$ NOT NORMALLY NECESSARY
X NOT NORMALLY NECESSARY

X. SPECIAL PRECAUTIONS

IN ADDITION TO ANY PRECAUTIONS LISTED, YOU SHOULD CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO ENSURE THAT THE SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

X. SPECIAL PRECAUTIONS CONTINUED

X NO SPECIAL PRECAUTIONS INDICATED

X NO SPECIAL HANDLING OR STORAGE REQUIREMENTS INDICATED

DISCLAIMER OF LIABILITY:

The information contained herein is based upon data taken from sources believed to be both current and reliable at the time of publication. Tennessee Mat Company, Inc. makes no warranties, express or implied, as to its accuracy and assumes no liability arising from its use by others. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the users.