## MATERIAL SAFETY DATA SHEET

MANUFACTURER: Tennessee Mat Company, Inc.

ADDDRESS: 1414 Fourth Avenue South, Nashville, TN 37210

TELEPHONE-TECHNICAL: 1-800-264-3030 ext. 210

EMERGENCY: 1-615-254-8381

Essentially similar to U.S. Department of Labor OSHA Standards

## I. PRODUCT IDENTIFICATION

TRADE NAME: REJUVENATOR TM ULTRASOFT-CELL

SYNONYMS OR CHEMICAL NAME: 501

DOT CLASSIFICATION: 65

## II. HAZARDOUS INGREDIENTS

MATERIAL OR COMPONENT: URETHANE

CAS#: %:

HAZARD DATA-EXPOSURE LIMITS:

### III. PHYSICAL DATA

BOILING POINT °F: NA

VAPOR PRESSEURE (mmHg): NA
VAPOR DENSITY (AIR=1): NA
SOLUBILITY IN WATER: NA
APPEARANCE AND ODOR: NA
SPECIFIC GRAVITY (WATER=1): .40

% VOLATILE BY VOLUME: EVAPORATION RATE (BUTYL ACETATE=1): NA

MELTING POINT:

Will withstand temperatures of 250 degrees F.

For extended periods of timeIV. FIRE AND EXPLOSION DATA

FLASH POINT (METHOD):

FLAMMABLE LIMITS IN AIR: % BY VOLUME:

EXTINGUISHING MEDIA: X WATER X FOAM X DRY CHEMICAL X CARBON DIOXIDE

☐ WATER FOG ☐ OTHER ☐ WATER MAY BE INEFFECTIVE

SPECIAL FIRE FIGHTING

PROCEDURES:

DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED

SELF CONTAINED BREATHING APPARATUS.

□ OTHER

UNUSUAL FIRE AND

X NONE KNOWN

EXPLOSION HAZARDS:

AREAS AND

# V. HEALTH HAZARD INFORMATION

ACUTE EFFECTS OF	OVEREXPOSURE (Short or single exposure)				
INHALATION:	${f X}$ NO ADVERSE EFFECTS LIKELY				
SKIN CONTACT:	${f X}$ NO ADVERSE EFFECTS LIKELY				
EYE CONTACT: X	NO ADVERSE EFFECTS LIKELY				
INGESTION:	X NO ADVERSE EFFECTS LIKELY				
CHRONIC EFFECTS	OF OVEREXPOSURE (Prolonged or repeated exposure): X N.A.				
	VI. EMERGENCY AND FIRST AID PROCEDURES				
EYES:	X N.A.				
SKIN:	X N.A.				
INHALATION:	X N.A.				
INGESTION:	X N.A.				
NOTE TO PHYSICIAN	N:				
	VII. REACTIVITY DATA				
X STABLE □ U	NSTABLE CONDITIONS TO AVOID:				
INCOMPATIBILITY:	□ N.A.				
	VII. REACTIVITY DATA CONTINUED				
HAZARDOUS DEPEND ON DECOM PRODUCTS:	DECOMPOSITION PRODUCTS AND AMOUNTS PRODUCED WILL COMBUSTION OR IPOSITION CONDITIONS BUT WILL MOST LIKELY DECOMPOSITION CONTAIN SOME:  □ CARBON MONOXIDE □ CARBON DIOXIDE □ SMOKE □ HYDROGEN CHLORIDE □ HYDROGENCYANIDE □ ALDEHYDES □ ACIDS □ ALIPHATICS □ AROMATICS □ OTHERS				
HAZARDOUS POLYMERIZATION:	X WILL NOT OCCUR CONDITIONS TO AVOID:				

### VIII. SPILL OR LEAK PROCEDURES

NEUTRALIZING CHEMCIALS

WASTE DISPOSAL X THIS MATERIAL, IF DISCARDED, IS NOT DEFINED AS

METHOD: HAZARDOUS BY 40CFR261.

DISPOSAL METHOD-INCINERATE OR LANDFILL IN

ACCORDANCE WITH APPLICABLE FEDERAL STATE AND LOCAL LAW OR REGULATION.

IX. SPECIAL PROTECTION INFORMATION

VENITILATION: X GENERAL

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY: X NOT NORMALLY NECESSARY

EYE: X NOT NORMALLY NECESSARY

GLOVES: X NOT NORMALLY NECESSARY

OTHER CLOTHING

AND EQUIPMENT: X NOT NORMALLY NECESSARY

## X. SPECIAL PRECAUTIONS

IN ADDITION TO ANY PRECAUTIONS LISTED, YOU SHOULD CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO ENSURE THAT THE SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

## X. SPECIAL PRECAUTIONS CONTINUED

X NO SPECIAL PRECAUTIONS INDICATED

 ${f X}$  NO SPECIAL HANDLING OR STORAGE REQUIREMENTS INDICATED

## DISCLAIMER OF LIABILITY:

The information contained herein is based upon data taken from sources believed to be both current and reliable at the time of publication. Tennessee Mat Company, Inc. makes no warranties, express or implied, as to its accuracy and assumes no liability arising from its use by others. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the users.